LISTING OF THE CLAIMS

This listing of claims will replace all prior versions and listings of the claims in the application.

1 (currently amended): A hot dip galvanized high strength steel sheet excellent in plating adhesion and hole expandability eontaining consisting of, in mass %: C: 0.08 to 0.35%, Si: 1.0% or less, Mn: 0.8 to 3.5%, P: 0.03% or less, S:0.03% or less, Al: 0.25 to 1.8%, Mo:0.05 to 0.35%, and N: 0.010% or less, one or more of Ti: 0.01 to 0.3%, Nb: 0.01 to 0.3%, V: 0.01 to 0.3%, Cu: 1% or less, Cr: 1% or less, and B: 0.0001 to 0.0030% and having a balance of Fe and unavoidable impurities, said hot dip galvanization steel sheet characterized in that said steel sheet has a metal structure having ferrite, bainite, by area ratio, 0.5% to 10% of tempered martensite, and, by volume percent, 5% or more of residual austenite.

Claims 2 to 7: (canceled).